

**Measurement of the ratios of the  $Z/\gamma^*(\rightarrow e^+e^-) + \geq n$  jet production cross sections to the total inclusive  $Z/\gamma^* \rightarrow e^+e^-$  cross section in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV**

V.M. Abazov,<sup>36</sup> B. Abbott,<sup>76</sup> M. Abolins,<sup>66</sup> B.S. Acharya,<sup>29</sup> M. Adams,<sup>52</sup> T. Adams,<sup>50</sup> M. Agelou,<sup>18</sup> J.-L. Agram,<sup>19</sup> S.H. Ahn,<sup>31</sup> M. Ahsan,<sup>60</sup> G.D. Alexeev,<sup>36</sup> G. Alkhazov,<sup>40</sup> A. Alton,<sup>65</sup> G. Alverson,<sup>64</sup> G.A. Alves,<sup>2</sup> M. Anastasoae,<sup>35</sup> T. Andeen,<sup>54</sup> S. Anderson,<sup>46</sup> B. Andrieu,<sup>17</sup> M.S. Anzelc,<sup>54</sup> Y. Arnoud,<sup>14</sup> M. Arov,<sup>53</sup> A. Askew,<sup>50</sup> B. Åsman,<sup>41</sup> A.C.S. Assis Jesus,<sup>3</sup> O. Atramentov,<sup>58</sup> C. Autermann,<sup>21</sup> C. Avila,<sup>8</sup> C. Ay,<sup>24</sup> F. Badaud,<sup>13</sup> A. Baden,<sup>62</sup> L. Bagby,<sup>53</sup> B. Baldin,<sup>51</sup> D.V. Bandurin,<sup>60</sup> P. Banerjee,<sup>29</sup> S. Banerjee,<sup>29</sup> E. Barberis,<sup>64</sup> P. Bargassa,<sup>81</sup> P. Baringer,<sup>59</sup> C. Barnes,<sup>44</sup> J. Barreto,<sup>2</sup> J.F. Bartlett,<sup>51</sup> U. Bassler,<sup>17</sup> D. Bauer,<sup>44</sup> A. Bean,<sup>59</sup> M. Begalli,<sup>3</sup> M. Begel,<sup>72</sup> C. Belanger-Champagne,<sup>5</sup> L. Bellantoni,<sup>51</sup> A. Bellavance,<sup>68</sup> J.A. Benitez,<sup>66</sup> S.B. Beri,<sup>27</sup> G. Bernardi,<sup>17</sup> R. Bernhard,<sup>42</sup> L. Berntzon,<sup>15</sup> I. Bertram,<sup>43</sup> M. Besançon,<sup>18</sup> R. Beuselinck,<sup>44</sup> V.A. Bezzubov,<sup>39</sup> P.C. Bhat,<sup>51</sup> V. Bhatnagar,<sup>27</sup> M. Binder,<sup>25</sup> C. Biscarat,<sup>43</sup> K.M. Black,<sup>63</sup> I. Blackler,<sup>44</sup> G. Blazey,<sup>53</sup> F. Blekman,<sup>44</sup> S. Blessing,<sup>50</sup> D. Bloch,<sup>19</sup> K. Bloom,<sup>68</sup> U. Blumenschein,<sup>23</sup> A. Boehnlein,<sup>51</sup> O. Boeriu,<sup>56</sup> T.A. Bolton,<sup>60</sup> G. Borissov,<sup>43</sup> K. Bos,<sup>34</sup> T. Bose,<sup>78</sup> A. Brandt,<sup>79</sup> R. Brock,<sup>66</sup> G. Brooijmans,<sup>71</sup> A. Bross,<sup>51</sup> D. Brown,<sup>79</sup> N.J. Buchanan,<sup>50</sup> D. Buchholz,<sup>54</sup> M. Buehler,<sup>82</sup> V. Buescher,<sup>23</sup> S. Burdin,<sup>51</sup> S. Burke,<sup>46</sup> T.H. Burnett,<sup>83</sup> E. Busato,<sup>17</sup> C.P. Buszello,<sup>44</sup> J.M. Butler,<sup>63</sup> P. Calfayan,<sup>25</sup> S. Calvet,<sup>15</sup> J. Cammin,<sup>72</sup> S. Caron,<sup>34</sup> W. Carvalho,<sup>3</sup> B.C.K. Casey,<sup>78</sup> N.M. Cason,<sup>56</sup> H. Castilla-Valdez,<sup>33</sup> S. Chakrabarti,<sup>29</sup> D. Chakraborty,<sup>53</sup> K.M. Chan,<sup>72</sup> A. Chandra,<sup>49</sup> D. Chapin,<sup>78</sup> F. Charles,<sup>19</sup> E. Cheu,<sup>46</sup> F. Chevallier,<sup>14</sup> D.K. Cho,<sup>63</sup> S. Choi,<sup>32</sup> B. Choudhary,<sup>28</sup> L. Christofek,<sup>59</sup> D. Claes,<sup>68</sup> B. Clément,<sup>19</sup> C. Clément,<sup>41</sup> Y. Coadou,<sup>5</sup> M. Cooke,<sup>81</sup> W.E. Cooper,<sup>51</sup> D. Coppage,<sup>59</sup> M. Corcoran,<sup>81</sup> M.-C. Cousinou,<sup>15</sup> B. Cox,<sup>45</sup> S. Crépe-Renaudin,<sup>14</sup> D. Cutts,<sup>78</sup> M. Cwiok,<sup>30</sup> H. da Motta,<sup>2</sup> A. Das,<sup>63</sup> M. Das,<sup>61</sup> B. Davies,<sup>43</sup> G. Davies,<sup>44</sup> G.A. Davis,<sup>54</sup> K. De,<sup>79</sup> P. de Jong,<sup>34</sup> S.J. de Jong,<sup>35</sup> E. De La Cruz-Burelo,<sup>65</sup> C. De Oliveira Martins,<sup>3</sup> J.D. Degenhardt,<sup>65</sup> F. Déliot,<sup>18</sup> M. Demarteau,<sup>51</sup> R. Demina,<sup>72</sup> P. Demine,<sup>18</sup> D. Denisov,<sup>51</sup> S.P. Denisov,<sup>39</sup> S. Desai,<sup>73</sup> H.T. Diehl,<sup>51</sup> M. Diesburg,<sup>51</sup> M. Doidge,<sup>43</sup> A. Dominguez,<sup>68</sup> H. Dong,<sup>73</sup> L.V. Dudko,<sup>38</sup> L. Dufлот,<sup>16</sup> S.R. Dugad,<sup>29</sup> A. Duperrin,<sup>15</sup> J. Dyer,<sup>66</sup> A. Dyshkant,<sup>53</sup> M. Eads,<sup>68</sup> D. Edmunds,<sup>66</sup> T. Edwards,<sup>45</sup> J. Ellison,<sup>49</sup> J. Elmsheuser,<sup>25</sup> V.D. Elvira,<sup>51</sup> S. Eno,<sup>62</sup> P. Ermolov,<sup>38</sup> J. Estrada,<sup>51</sup> H. Evans,<sup>55</sup> A. Evdokimov,<sup>37</sup> V.N. Evdokimov,<sup>39</sup> S.N. Fatakia,<sup>63</sup> L. Feligioni,<sup>63</sup> A.V. Ferapontov,<sup>60</sup> T. Ferbel,<sup>72</sup> F. Fiedler,<sup>25</sup> F. Filthaut,<sup>35</sup> W. Fisher,<sup>51</sup> H.E. Fisk,<sup>51</sup> I. Fleck,<sup>23</sup> M. Ford,<sup>45</sup> M. Fortner,<sup>53</sup> H. Fox,<sup>23</sup> S. Fu,<sup>51</sup> S. Fuess,<sup>51</sup> T. Gadfort,<sup>83</sup> C.F. Galea,<sup>35</sup> E. Gallas,<sup>51</sup> E. Galyaev,<sup>56</sup> C. Garcia,<sup>72</sup> A. Garcia-Bellido,<sup>83</sup> J. Gardner,<sup>59</sup> V. Gavrilov,<sup>37</sup> A. Gay,<sup>19</sup> P. Gay,<sup>13</sup> D. Gelé,<sup>19</sup> R. Gelhaus,<sup>49</sup> C.E. Gerber,<sup>52</sup> Y. Gershtein,<sup>50</sup> D. Gillberg,<sup>5</sup> G. Ginter,<sup>72</sup> N. Gollub,<sup>41</sup> B. Gómez,<sup>8</sup> A. Goussiou,<sup>56</sup> P.D. Grannis,<sup>73</sup> H. Greenlee,<sup>51</sup> Z.D. Greenwood,<sup>61</sup> E.M. Gregores,<sup>4</sup> G. Grenier,<sup>20</sup> Ph. Gris,<sup>13</sup> J.-F. Grivaz,<sup>16</sup> S. Grünendahl,<sup>51</sup> M.W. Grünewald,<sup>30</sup> F. Guo,<sup>73</sup> J. Guo,<sup>73</sup> G. Gutierrez,<sup>51</sup> P. Gutierrez,<sup>76</sup> A. Haas,<sup>71</sup> N.J. Hadley,<sup>62</sup> P. Haefner,<sup>25</sup> S. Hagopian,<sup>50</sup> J. Haley,<sup>69</sup> I. Hall,<sup>76</sup> R.E. Hall,<sup>48</sup> L. Han,<sup>7</sup> K. Hanagaki,<sup>51</sup> K. Harder,<sup>60</sup> A. Harel,<sup>72</sup> R. Harrington,<sup>64</sup> J.M. Hauptman,<sup>58</sup> R. Hauser,<sup>66</sup> J. Hays,<sup>54</sup> T. Hebbeker,<sup>21</sup> D. Hedin,<sup>53</sup> J.G. Hegeman,<sup>34</sup> J.M. Heinmiller,<sup>52</sup> A.P. Heinson,<sup>49</sup> U. Heintz,<sup>63</sup> C. Hensel,<sup>59</sup> G. Hesketh,<sup>64</sup> M.D. Hildreth,<sup>56</sup> R. Hirosky,<sup>82</sup> J.D. Hobbs,<sup>73</sup> B. Hoeneisen,<sup>12</sup> H. Hoeth,<sup>26</sup> M. Hohlfeld,<sup>16</sup> S.J. Hong,<sup>31</sup> R. Hooper,<sup>78</sup> P. Houben,<sup>34</sup> Y. Hu,<sup>73</sup> Z. Hubacek,<sup>10</sup> V. Hynek,<sup>9</sup> I. Iashvili,<sup>70</sup> R. Illingworth,<sup>51</sup> A.S. Ito,<sup>51</sup> S. Jabeen,<sup>63</sup> M. Jaffré,<sup>16</sup> S. Jain,<sup>76</sup> K. Jakobs,<sup>23</sup> C. Jarvis,<sup>62</sup> A. Jenkins,<sup>44</sup> R. Jesik,<sup>44</sup> K. Johns,<sup>46</sup> C. Johnson,<sup>71</sup> M. Johnson,<sup>51</sup> A. Jonckheere,<sup>51</sup> P. Jonsson,<sup>44</sup> A. Juste,<sup>51</sup> D. Käfer,<sup>21</sup> S. Kahn,<sup>74</sup> E. Kajfasz,<sup>15</sup> A.M. Kalinin,<sup>36</sup> J.M. Kalk,<sup>61</sup> J.R. Kalk,<sup>66</sup> S. Kappler,<sup>21</sup> D. Karmanov,<sup>38</sup> J. Kasper,<sup>63</sup> P. Kasper,<sup>51</sup> I. Katsanos,<sup>71</sup> D. Kau,<sup>50</sup> R. Kaur,<sup>27</sup> R. Kehoe,<sup>80</sup> S. Kermiche,<sup>15</sup> S. Kesisoglou,<sup>78</sup> N. Khalatyan,<sup>63</sup> A. Khanov,<sup>77</sup> A. Kharchilava,<sup>70</sup> Y.M. Kharzhev,<sup>36</sup> D. Khatidze,<sup>71</sup> H. Kim,<sup>79</sup> T.J. Kim,<sup>31</sup> M.H. Kirby,<sup>35</sup> B. Klima,<sup>51</sup> J.M. Kohli,<sup>27</sup> J.-P. Konrath,<sup>23</sup> M. Kopal,<sup>76</sup> V.M. Korablev,<sup>39</sup> J. Kotcher,<sup>74</sup> B. Kothari,<sup>71</sup> A. Koubarovsky,<sup>38</sup> A.V. Kozelov,<sup>39</sup> J. Kozminski,<sup>66</sup> D. Krop,<sup>55</sup> A. Kryemadhi,<sup>82</sup> T. Kuhl,<sup>24</sup> A. Kumar,<sup>70</sup> S. Kunori,<sup>62</sup> A. Kupco,<sup>11</sup> T. Kurča,<sup>20,\*</sup> J. Kvita,<sup>9</sup> S. Lager,<sup>41</sup> S. Lammers,<sup>71</sup> G. Landsberg,<sup>78</sup> J. Lazoflores,<sup>50</sup> A.-C. Le Bihan,<sup>19</sup> P. Lebrun,<sup>20</sup> W.M. Lee,<sup>53</sup> A. Leflat,<sup>38</sup> F. Lehner,<sup>42</sup> V. Lesne,<sup>13</sup> J. Leveque,<sup>46</sup> P. Lewis,<sup>44</sup> J. Li,<sup>79</sup> Q.Z. Li,<sup>51</sup> J.G.R. Lima,<sup>53</sup> D. Lincoln,<sup>51</sup> J. Linnemann,<sup>66</sup> V.V. Lipaev,<sup>39</sup> R. Lipton,<sup>51</sup> Z. Liu,<sup>5</sup> L. Lobo,<sup>44</sup> A. Lobodenko,<sup>40</sup> M. Lokajicek,<sup>11</sup> A. Lounis,<sup>19</sup> P. Love,<sup>43</sup> H.J. Lubatti,<sup>83</sup> M. Lynker,<sup>56</sup> A.L. Lyon,<sup>51</sup> A.K.A. Maciel,<sup>2</sup> R.J. Madaras,<sup>47</sup> P. Mättig,<sup>26</sup> C. Magass,<sup>21</sup> A. Magerkurth,<sup>65</sup> A.-M. Magnan,<sup>14</sup> N. Makovec,<sup>16</sup> P.K. Mal,<sup>56</sup> H.B. Malbouisson,<sup>3</sup> S. Malik,<sup>68</sup> V.L. Malyshev,<sup>36</sup> H.S. Mao,<sup>6</sup> Y. Maravin,<sup>60</sup> M. Martens,<sup>51</sup> S.E.K. Mattingly,<sup>78</sup> R. McCarthy,<sup>73</sup> D. Meder,<sup>24</sup> A. Melnitchouk,<sup>67</sup> A. Mendes,<sup>15</sup> L. Mendoza,<sup>8</sup> M. Merkin,<sup>38</sup> K.W. Merritt,<sup>51</sup> A. Meyer,<sup>21</sup> J. Meyer,<sup>22</sup> M. Michaut,<sup>18</sup> H. Miettinen,<sup>81</sup> T. Millet,<sup>20</sup> J. Mitrevski,<sup>71</sup> J. Molina,<sup>3</sup> N.K. Mondal,<sup>29</sup>

J. Monk,<sup>45</sup> R.W. Moore,<sup>5</sup> T. Moulik,<sup>59</sup> G.S. Muanza,<sup>16</sup> M. Mulders,<sup>51</sup> M. Mulhearn,<sup>71</sup> L. Mundim,<sup>3</sup> Y.D. Mutaf,<sup>73</sup> E. Nagy,<sup>15</sup> M. Naimuddin,<sup>28</sup> M. Narain,<sup>63</sup> N.A. Naumann,<sup>35</sup> H.A. Neal,<sup>65</sup> J.P. Negret,<sup>8</sup> S. Nelson,<sup>50</sup> P. Neustroev,<sup>40</sup> C. Noeding,<sup>23</sup> A. Nomerotski,<sup>51</sup> S.F. Novaes,<sup>4</sup> T. Nunnemann,<sup>25</sup> V. O'Dell,<sup>51</sup> D.C. O'Neil,<sup>5</sup> G. Obrant,<sup>40</sup> V. Oguri,<sup>3</sup> N. Oliveira,<sup>3</sup> N. Oshima,<sup>51</sup> R. Otec,<sup>10</sup> G.J. Otero y Garzón,<sup>52</sup> M. Owen,<sup>45</sup> P. Padley,<sup>81</sup> N. Parashar,<sup>57</sup> S.-J. Park,<sup>72</sup> S.K. Park,<sup>31</sup> J. Parsons,<sup>71</sup> R. Partridge,<sup>78</sup> N. Parua,<sup>73</sup> A. Patwa,<sup>74</sup> G. Pawloski,<sup>81</sup> P.M. Perea,<sup>49</sup> E. Perez,<sup>18</sup> K. Peters,<sup>45</sup> P. Pétrouff,<sup>16</sup> M. Petteni,<sup>44</sup> R. Piegai,<sup>1</sup> M.-A. Pleier,<sup>22</sup> P.L.M. Podesta-Lerma,<sup>33</sup> V.M. Podstavkov,<sup>51</sup> Y. Pogorelov,<sup>56</sup> M.-E. Pol,<sup>2</sup> A. Pompoš,<sup>76</sup> B.G. Pope,<sup>66</sup> A.V. Popov,<sup>39</sup> W.L. Prado da Silva,<sup>3</sup> H.B. Prosper,<sup>50</sup> S. Protopopescu,<sup>74</sup> J. Qian,<sup>65</sup> A. Quadt,<sup>22</sup> B. Quinn,<sup>67</sup> K.J. Rani,<sup>29</sup> K. Ranjan,<sup>28</sup> P.N. Ratoff,<sup>43</sup> P. Renkel,<sup>80</sup> S. Reucroft,<sup>64</sup> M. Rijssenbeek,<sup>73</sup> I. Ripp-Baudot,<sup>19</sup> F. Rizatdinova,<sup>77</sup> S. Robinson,<sup>44</sup> R.F. Rodrigues,<sup>3</sup> C. Royon,<sup>18</sup> P. Rubinov,<sup>51</sup> R. Ruchti,<sup>56</sup> V.I. Rud,<sup>38</sup> G. Sajot,<sup>14</sup> A. Sánchez-Hernández,<sup>33</sup> M.P. Sanders,<sup>62</sup> A. Santoro,<sup>3</sup> G. Savage,<sup>51</sup> L. Sawyer,<sup>61</sup> T. Scanlon,<sup>44</sup> D. Schaile,<sup>25</sup> R.D. Schamberger,<sup>73</sup> Y. Scheglov,<sup>40</sup> H. Schellman,<sup>54</sup> P. Schieferdecker,<sup>25</sup> C. Schmitt,<sup>26</sup> C. Schwanenberger,<sup>45</sup> A. Schwartzman,<sup>69</sup> R. Schwienhorst,<sup>66</sup> S. Sengupta,<sup>50</sup> H. Severini,<sup>76</sup> E. Shabalina,<sup>52</sup> M. Shamim,<sup>60</sup> V. Shary,<sup>18</sup> A.A. Shchukin,<sup>39</sup> W.D. Shephard,<sup>56</sup> R.K. Shivpuri,<sup>28</sup> D. Shpakov,<sup>51</sup> V. Siccaldi,<sup>19</sup> R.A. Sidwell,<sup>60</sup> V. Simak,<sup>10</sup> V. Sirotenko,<sup>51</sup> P. Skubic,<sup>76</sup> P. Slattery,<sup>72</sup> R.P. Smith,<sup>51</sup> G.R. Snow,<sup>68</sup> J. Snow,<sup>75</sup> S. Snyder,<sup>74</sup> S. Söldner-Rembold,<sup>45</sup> X. Song,<sup>53</sup> L. Sonnenschein,<sup>17</sup> A. Sopczak,<sup>43</sup> M. Sosebee,<sup>79</sup> K. Soustruznik,<sup>9</sup> M. Souza,<sup>2</sup> B. Spurlock,<sup>79</sup> J. Stark,<sup>14</sup> J. Steele,<sup>61</sup> V. Stolin,<sup>37</sup> A. Stone,<sup>52</sup> D.A. Stoyanova,<sup>39</sup> J. Strandberg,<sup>41</sup> M.A. Strang,<sup>70</sup> M. Strauss,<sup>76</sup> R. Ströhmer,<sup>25</sup> D. Strom,<sup>54</sup> M. Strovink,<sup>47</sup> L. Stutte,<sup>51</sup> S. Sumowidagdo,<sup>50</sup> A. Sznajder,<sup>3</sup> M. Talby,<sup>15</sup> P. Tamburello,<sup>46</sup> W. Taylor,<sup>5</sup> P. Telford,<sup>45</sup> J. Temple,<sup>46</sup> B. Tiller,<sup>25</sup> M. Titov,<sup>23</sup> V.V. Tokmenin,<sup>36</sup> M. Tomoto,<sup>51</sup> T. Toole,<sup>62</sup> I. Torchiani,<sup>23</sup> S. Towers,<sup>43</sup> T. Trefzger,<sup>24</sup> S. Trincas-Duvoid,<sup>17</sup> D. Tsybychev,<sup>73</sup> B. Tuchming,<sup>18</sup> C. Tully,<sup>69</sup> A.S. Turcot,<sup>45</sup> P.M. Tuts,<sup>71</sup> R. Unalan,<sup>66</sup> L. Uvarov,<sup>40</sup> S. Uvarov,<sup>40</sup> S. Uzunyan,<sup>53</sup> B. Vachon,<sup>5</sup> P.J. van den Berg,<sup>34</sup> R. Van Kooten,<sup>55</sup> W.M. van Leeuwen,<sup>34</sup> N. Varelas,<sup>52</sup> E.W. Varnes,<sup>46</sup> A. Vartapetian,<sup>79</sup> I.A. Vasilyev,<sup>39</sup> M. Vaupel,<sup>26</sup> P. Verdier,<sup>20</sup> L.S. Vertogradov,<sup>36</sup> M. Verzocchi,<sup>51</sup> F. Villeneuve-Seguié,<sup>44</sup> P. Vint,<sup>44</sup> J.-R. Vlimant,<sup>17</sup> E. Von Toerne,<sup>60</sup> M. Voutilainen,<sup>68,†</sup> M. Vreeswijk,<sup>34</sup> H.D. Wahl,<sup>50</sup> L. Wang,<sup>62</sup> J. Warchol,<sup>56</sup> G. Watts,<sup>83</sup> M. Wayne,<sup>56</sup> M. Weber,<sup>51</sup> H. Weerts,<sup>66</sup> N. Wermes,<sup>22</sup> M. Wetstein,<sup>62</sup> A. White,<sup>79</sup> D. Wicke,<sup>26</sup> G.W. Wilson,<sup>59</sup> S.J. Wimpenny,<sup>49</sup> M. Wobisch,<sup>51</sup> J. Womersley,<sup>51</sup> D.R. Wood,<sup>64</sup> T.R. Wyatt,<sup>45</sup> Y. Xie,<sup>78</sup> N. Xuan,<sup>56</sup> S. Yacoub,<sup>54</sup> R. Yamada,<sup>51</sup> M. Yan,<sup>62</sup> T. Yasuda,<sup>51</sup> Y.A. Yatsunenko,<sup>36</sup> K. Yip,<sup>74</sup> H.D. Yoo,<sup>78</sup> S.W. Youn,<sup>54</sup> C. Yu,<sup>14</sup> J. Yu,<sup>79</sup> A. Yurkewicz,<sup>73</sup> A. Zatserklyaniy,<sup>53</sup> C. Zeitnitz,<sup>26</sup> D. Zhang,<sup>51</sup> T. Zhao,<sup>83</sup> B. Zhou,<sup>65</sup> J. Zhu,<sup>73</sup> M. Zielinski,<sup>72</sup> D. Zieminska,<sup>55</sup> A. Zieminski,<sup>55</sup> V. Zutshi,<sup>53</sup> and E.G. Zverev<sup>38</sup>

(DØ Collaboration)

<sup>1</sup> Universidad de Buenos Aires, Buenos Aires, Argentina

<sup>2</sup> LAFEX, Centro Brasileiro de Pesquisas Físicas, Rio de Janeiro, Brazil

<sup>3</sup> Universidade do Estado do Rio de Janeiro, Rio de Janeiro, Brazil

<sup>4</sup> Instituto de Física Teórica, Universidade Estadual Paulista, São Paulo, Brazil

<sup>5</sup> University of Alberta, Edmonton, Alberta, Canada, Simon Fraser University, Burnaby, British Columbia, Canada, York University, Toronto, Ontario, Canada, and McGill University, Montreal, Quebec, Canada

<sup>6</sup> Institute of High Energy Physics, Beijing, People's Republic of China

<sup>7</sup> University of Science and Technology of China, Hefei, People's Republic of China

<sup>8</sup> Universidad de los Andes, Bogotá, Colombia

<sup>9</sup> Center for Particle Physics, Charles University, Prague, Czech Republic

<sup>10</sup> Czech Technical University, Prague, Czech Republic

<sup>11</sup> Center for Particle Physics, Institute of Physics, Academy of Sciences of the Czech Republic, Prague, Czech Republic

<sup>12</sup> Universidad San Francisco de Quito, Quito, Ecuador

<sup>13</sup> Laboratoire de Physique Corpusculaire, IN2P3-CNRS, Université Blaise Pascal, Clermont-Ferrand, France

<sup>14</sup> Laboratoire de Physique Subatomique et de Cosmologie, IN2P3-CNRS, Université de Grenoble 1, Grenoble, France

<sup>15</sup> CPPM, IN2P3-CNRS, Université de la Méditerranée, Marseille, France

<sup>16</sup> IN2P3-CNRS, Laboratoire de l'Accélérateur Linéaire, Orsay, France

<sup>17</sup> LPNHE, IN2P3-CNRS, Universités Paris VI and VII, Paris, France

<sup>18</sup> DAPNIA/Service de Physique des Particules, CEA, Saclay, France

<sup>19</sup> IPHC, IN2P3-CNRS, Université Louis Pasteur, Strasbourg, France, and Université de Haute Alsace, Mulhouse, France

<sup>20</sup> Institut de Physique Nucléaire de Lyon, IN2P3-CNRS, Université Claude Bernard, Villeurbanne, France

<sup>21</sup> III. Physikalisches Institut A, RWTH Aachen, Aachen, Germany

<sup>22</sup> Physikalisches Institut, Universität Bonn, Bonn, Germany

<sup>23</sup> Physikalisches Institut, Universität Freiburg, Freiburg, Germany

<sup>24</sup> Institut für Physik, Universität Mainz, Mainz, Germany

<sup>25</sup> Ludwig-Maximilians-Universität München, München, Germany

<sup>26</sup> Fachbereich Physik, University of Wuppertal, Wuppertal, Germany

- <sup>27</sup> Panjab University, Chandigarh, India  
<sup>28</sup> Delhi University, Delhi, India  
<sup>29</sup> Tata Institute of Fundamental Research, Mumbai, India  
<sup>30</sup> University College Dublin, Dublin, Ireland  
<sup>31</sup> Korea Detector Laboratory, Korea University, Seoul, Korea  
<sup>32</sup> SungKyunKwan University, Suwon, Korea  
<sup>33</sup> CINVESTAV, Mexico City, Mexico  
<sup>34</sup> FOM-Institute NIKHEF and University of Amsterdam/NIKHEF, Amsterdam, The Netherlands  
<sup>35</sup> Radboud University Nijmegen/NIKHEF, Nijmegen, The Netherlands  
<sup>36</sup> Joint Institute for Nuclear Research, Dubna, Russia  
<sup>37</sup> Institute for Theoretical and Experimental Physics, Moscow, Russia  
<sup>38</sup> Moscow State University, Moscow, Russia  
<sup>39</sup> Institute for High Energy Physics, Protvino, Russia  
<sup>40</sup> Petersburg Nuclear Physics Institute, St. Petersburg, Russia  
<sup>41</sup> Lund University, Lund, Sweden, Royal Institute of Technology and Stockholm University, Stockholm, Sweden, and Uppsala University, Uppsala, Sweden  
<sup>42</sup> Physik Institut der Universität Zürich, Zürich, Switzerland  
<sup>43</sup> Lancaster University, Lancaster, United Kingdom  
<sup>44</sup> Imperial College, London, United Kingdom  
<sup>45</sup> University of Manchester, Manchester, United Kingdom  
<sup>46</sup> University of Arizona, Tucson, Arizona 85721, USA  
<sup>47</sup> Lawrence Berkeley National Laboratory and University of California, Berkeley, California 94720, USA  
<sup>48</sup> California State University, Fresno, California 93740, USA  
<sup>49</sup> University of California, Riverside, California 92521, USA  
<sup>50</sup> Florida State University, Tallahassee, Florida 32306, USA  
<sup>51</sup> Fermi National Accelerator Laboratory, Batavia, Illinois 60510, USA  
<sup>52</sup> University of Illinois at Chicago, Chicago, Illinois 60607, USA  
<sup>53</sup> Northern Illinois University, DeKalb, Illinois 60115, USA  
<sup>54</sup> Northwestern University, Evanston, Illinois 60208, USA  
<sup>55</sup> Indiana University, Bloomington, Indiana 47405, USA  
<sup>56</sup> University of Notre Dame, Notre Dame, Indiana 46556, USA  
<sup>57</sup> Purdue University Calumet, Hammond, Indiana 46323, USA  
<sup>58</sup> Iowa State University, Ames, Iowa 50011, USA  
<sup>59</sup> University of Kansas, Lawrence, Kansas 66045, USA  
<sup>60</sup> Kansas State University, Manhattan, Kansas 66506, USA  
<sup>61</sup> Louisiana Tech University, Ruston, Louisiana 71272, USA  
<sup>62</sup> University of Maryland, College Park, Maryland 20742, USA  
<sup>63</sup> Boston University, Boston, Massachusetts 02215, USA  
<sup>64</sup> Northeastern University, Boston, Massachusetts 02115, USA  
<sup>65</sup> University of Michigan, Ann Arbor, Michigan 48109, USA  
<sup>66</sup> Michigan State University, East Lansing, Michigan 48824, USA  
<sup>67</sup> University of Mississippi, University, Mississippi 38677, USA  
<sup>68</sup> University of Nebraska, Lincoln, Nebraska 68588, USA  
<sup>69</sup> Princeton University, Princeton, New Jersey 08544, USA  
<sup>70</sup> State University of New York, Buffalo, New York 14260, USA  
<sup>71</sup> Columbia University, New York, New York 10027, USA  
<sup>72</sup> University of Rochester, Rochester, New York 14627, USA  
<sup>73</sup> State University of New York, Stony Brook, New York 11794, USA  
<sup>74</sup> Brookhaven National Laboratory, Upton, New York 11973, USA  
<sup>75</sup> Langston University, Langston, Oklahoma 73050, USA  
<sup>76</sup> University of Oklahoma, Norman, Oklahoma 73019, USA  
<sup>77</sup> Oklahoma State University, Stillwater, Oklahoma 74078, USA  
<sup>78</sup> Brown University, Providence, Rhode Island 02912, USA  
<sup>79</sup> University of Texas, Arlington, Texas 76019, USA  
<sup>80</sup> Southern Methodist University, Dallas, Texas 75275, USA  
<sup>81</sup> Rice University, Houston, Texas 77005, USA  
<sup>82</sup> University of Virginia, Charlottesville, Virginia 22901, USA  
<sup>83</sup> University of Washington, Seattle, Washington 98195, USA

(Dated: July 6, 2006)

We present a study of events with  $Z$  bosons and hadronic jets produced at the Fermilab Tevatron Collider in  $p\bar{p}$  collisions at a center of mass energy of 1.96 TeV. The data sample consists of nearly 14,000  $Z/\gamma^* \rightarrow e^+e^-$  candidates from 343  $\text{pb}^{-1}$  of integrated luminosity collected using the DØ

detector. Ratios of the  $Z/\gamma^*(\rightarrow e^+e^-) + \geq n$  jet cross sections to the total inclusive  $Z/\gamma^* \rightarrow e^+e^-$  cross section have been measured for  $n = 1$  to 4 jet events. Our measurements are found to be in good agreement with a next-to-leading order QCD calculation and with a tree-level QCD prediction with parton shower simulation and hadronization.

PACS numbers: 13.38.Dg, 14.70.Hp, 13.87.-a, 12.38.Aw, 12.38.Qk, 13.85.-t

Leptonic decays of the electroweak gauge bosons,  $W^\pm$  and  $Z$ , produced in association with jets are prominent signatures at present and future hadron colliders. Measurements of  $W/Z + \geq n$  jet cross sections are important for understanding perturbative quantum chromodynamics (QCD) calculations and Monte Carlo (MC) simulation programs capable of handling particles in the final state at leading order (LO), or in some cases, next-to-leading order (NLO). Furthermore, the associated production of  $W/Z$  bosons with jets represents a significant background to Higgs boson searches, as well as other standard model processes of interest such as top quark production, and many new physics searches at the Fermilab Tevatron Collider and the CERN  $pp$  Collider (LHC).

Measurements of  $Z + \geq n$  jet cross sections with lower integrated luminosity and center of mass energy have been performed previously by the CDF collaboration [1]. In this study, we present the first measurement of the ratios of the  $Z/\gamma^*(\rightarrow e^+e^-) + \geq n$  jet production cross sections to the total inclusive  $Z/\gamma^* \rightarrow e^+e^-$  cross section for jet multiplicities  $n = 1 - 4$  jets in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV. These results are based on a data sample corresponding to an integrated luminosity of 343  $pb^{-1}$  accumulated by the DØ detector.

The elements of the DØ detector [2] of primary importance to this analysis are the uranium/liquid-argon sampling calorimeter and the tracking system. The DØ calorimeter has a granularity of  $\Delta\eta \times \Delta\phi = 0.1 \times 0.1$  forming projective towers, where  $\eta$  is the pseudorapidity ( $\eta = -\ln[\tan(\theta/2)]$ ,  $\theta$  is the polar angle with respect to the proton beam), and  $\phi$  is the azimuthal angle. The calorimeter has a central section covering pseudorapidities up to  $\approx 1.1$ , and two end calorimeters that extend the coverage to  $|\eta| \approx 4.2$ . The tracking system consists of a silicon micro-strip tracker and a central fiber tracker, both located within a 2 T superconducting solenoidal magnet, with designs optimized for tracking and vertexing at pseudorapidities of  $|\eta| < 3$  and  $|\eta| < 2.5$ , respectively.

The data sample for this analysis [3] was collected between April 2002 and June 2004. Events from  $Z/\gamma^* \rightarrow e^+e^-$  decays were selected with a combination of single-electron triggers, based on energy deposited in calorimeter towers ( $\Delta\eta \times \Delta\phi = 0.2 \times 0.2$ ). Final event selection was based on detector performance/quality, event properties, electron, and jet criteria.

Events were required to have a reconstructed primary vertex with longitudinal position within 60 cm of the detector center. Electrons were reconstructed from electro-

magnetic (EM) clusters in the calorimeter using a simple cone algorithm. The two highest- $p_T$  electron candidates in the event, both having transverse momenta  $p_T > 25$  GeV, were used to reconstruct the  $Z$  boson candidate. Both electrons were required to be in the central region of the calorimeter  $|\eta_{det}| < 1.1$  (pseudorapidity  $\eta_{det}$  is calculated with respect to the center of the detector) with at least one of the electrons having fired the trigger(s) for the event. The electron pair was required to have an invariant mass consistent with the  $Z$  boson mass,  $75 \text{ GeV} < M_{ee} < 105 \text{ GeV}$ .

To reduce background contamination, mainly from jets faking electrons, the EM clusters were required to pass three quality criteria based on the shower profile: (i) the electron had to deposit at least 90% of its energy in the 21 radiation length electromagnetic calorimeter, (ii) the lateral and longitudinal shape of the energy cluster had to be consistent with those of an electron, and (iii) the electron had to be isolated from other energy deposits in the calorimeter with isolation fraction  $f_{iso} < 0.15$ . The isolation fraction is defined as  $f_{iso} = [E(0.4) - E_{EM}(0.2)]/E_{EM}(0.2)$ , where  $E(R_{cone})$  ( $E_{EM}(R_{cone})$ ) is the total (EM) energy within a cone of radius  $R_{cone} = \sqrt{(\Delta\eta)^2 + (\Delta\phi)^2}$  centered around the electron. Additionally, at least one of the electrons was required to have a spatially matching track associated with the reconstructed calorimeter cluster, and the track momentum had to be consistent with the energy of the EM cluster. A total of 13,893 candidates passed the selection criteria.

Jets were reconstructed using the “Run II cone algorithm” [4] which combines particles within a cone of radius  $R_{cone} = 0.5$ . Spurious jets from isolated noisy calorimeter cells were eliminated by cuts on the jet shape. Jets were required to be confirmed by energy deposits as measured by the independent trigger readout. The transverse momentum of each jet was corrected for multiple  $p\bar{p}$  interactions, calorimeter noise, out-of-cone showering effects, and energy response of the calorimeter as determined from the missing transverse energy balance of photon-jet events. Jets were required to have  $p_T > 20$  GeV and  $|\eta| < 2.5$ , and they were eliminated if they overlapped with the electrons coming from the  $Z$  boson decay within  $\Delta R = \sqrt{(\Delta\eta)^2 + (\Delta\phi)^2} = 0.4$ . Small jet losses due to this separation cut from the  $Z$  boson electrons were estimated as a function of the number of associated jets using a PYTHIA [5] event generator MC sample.

The electron efficiencies for trigger, track-matching, reconstruction and identification were determined from

data, based on a “tag-and-probe” method.  $Z$  candidates were selected with one electron (tag) satisfying a tighter track-matching requirement to further reduce background contamination, and another electron (probe) with all other cuts applied except the one under study. The fraction of events with probe electrons passing the requirement under study determined the efficiency of a given cut. The overall trigger efficiency for  $Z$  candidates that survive the analysis selection cuts was found to be  $> 99\%$ . The electron reconstruction and identification efficiencies were measured as a function of azimuthal angle and  $p_T$ , and the average efficiency was found to be  $\approx 89\%$ . The spacial and energy combined track-matching efficiency was measured to be  $\approx 77\%$ . The electron reconstruction, selection, trigger, and track-matching efficiencies were examined as a function of jet multiplicity. No significant variations of the efficiencies were observed, except for the track-matching efficiency for which the multiplicity dependence was taken into account to correct the data.

The kinematic and detector geometric acceptance for electrons from  $Z/\gamma^*$  decays in the mass region of  $75 \text{ GeV} < M_{ee} < 105 \text{ GeV}$  and within 60 cm of the detector center was determined as a function of jet multiplicity. For the acceptance calculation of the inclusive  $Z/\gamma^*$  sample, an inclusive PYTHIA sample was used. The inclusive PYTHIA events were weighted so that the  $p_T$  distribution of the  $Z$  boson in the MC agreed with data. For the jet-multiplicity dependence of the acceptance calculation, a  $Z + n$  parton leading-order generator was used, with the evolution of partons into hadrons carried out by PYTHIA. All the samples were processed through the full DØ detector simulation based on GEANT [6] and the DØ reconstruction software. The overall dielectron acceptance for the  $Z/\gamma^* + \geq 4$  jet sample was found to be  $\approx 30\%$  higher than the acceptance for the  $Z/\gamma^*$  inclusive sample.

The reconstruction and identification efficiency of jets was determined from a data-tuned MC sample with full detector simulation processed with the same analysis procedure as the data. A scaling factor was applied to the MC jets to adjust their reconstruction and identification efficiency to that of data jets using the “ $Z p_T$ -balance” method. In events selected with  $Z$  candidates, a search for a recoiling jet opposite to the  $Z$  boson in azimuthal angle was performed. The probability of finding a recoiling jet as a function of the  $Z p_T$  was measured in data and MC. The ratio of these probabilities in data and MC defined the scaling factor that was applied to the MC jets. After applying the scaling factor, the jet reconstruction and identification efficiency was determined by matching hadron level jets to calorimeter jets. The efficiency was parameterized as a function of hadron-level jet  $p_T$ , where the  $p_T$  values were smeared with the data jet energy resolutions, measured in three  $\eta$  regions of the calorimeter. As a cross check, the scaling factor deter-

mined from the “ $Z p_T$ -balance” method was compared to a scaling factor using a photon enriched sample. The two scaling factors were found to be consistent.

The primary source of background to the  $Z/\gamma^*$  dielectron signal is from multijet production from QCD processes in which the jets have a large electromagnetic component or they are mismeasured in some way that causes them to pass the electron selection criteria. For the  $Z/\gamma^* + \geq 0 - 2$  jet samples, a convoluted Gaussian and Breit-Wigner function was used to fit the  $Z$  resonance, and an exponential shape was used to account for both the QCD background and the Drell-Yan component of the signal. In the case of the  $Z/\gamma^* + \geq 3$  jet sample, the size of the QCD and Drell-Yan components was estimated based on the side bands of the dielectron invariant mass spectrum. In each case, a PYTHIA sample was used to disentangle the QCD component from the Drell-Yan contribution. The background contributions for higher jet multiplicity samples were estimated by extrapolating an exponential fit to the QCD background of the  $0 - 3$  jet multiplicity bins. There are also contributions to the  $Z/\gamma^*$  candidates that are not from misidentification of electrons, but correspond to other processes (e.g.,  $t\bar{t}$  production,  $Z \rightarrow \tau^+\tau^-$ ,  $W \rightarrow e\nu$ ). Such irreducible background contributions were found to be small, and they were taken into account in the analysis.

The cross sections as a function of jet multiplicity were corrected for jet reconstruction and identification efficiencies, and for event migration due to the finite jet energy resolution of the detector. The correction factors were determined using two independent event generator samples, both tuned to match the measured inclusive jet multiplicity and jet  $p_T$  distributions in data. The first sample was based on PYTHIA simulations. The second sample (ME-PS) was based on MADGRAPH [7]  $Z + n$  LO Matrix Element (ME) predictions using PYTHIA for parton showering (PS) and hadronization, and a modified CKKW [8] method to map the  $Z + n$  parton event into a parton shower history [9]. The ME-PS predictions were produced with MADGRAPH tree level processes of up to three partons. Both of these samples only contained hadron level jets (i.e., no detector simulation). The  $p_T$  of these jets were smeared with the data jet energy resolutions. Subsequently, jets were removed from the sample according to the measured jet reconstruction/identification efficiencies. The ratio between the two inclusive jet multiplicity distributions (the generated distribution and the one with the jet reconstruction/identification efficiency and energy resolution applied) determined the unsmearing correction factors for a given MC sample. The RMS weighted averages of the correction factors corresponding to the two MC samples as a function of jet multiplicity were applied to correct the data jet multiplicity spectrum. The differences between the correction factors from the two MC samples contribute to the systematic uncertainty of the

TABLE I: Data cross section ratios with statistical and systematic uncertainties for different inclusive jet multiplicities.

Multiplicity ( $Z/\gamma^* + \geq n$ jets)	$\geq 1$	$\geq 2$	$\geq 3$	$\geq 4$
$R_n = \frac{\sigma_n}{\sigma_0} [\times 10^{-3}]$	120.1	18.6	2.8	0.90
Total Statistical Uncertainty $[\times 10^{-3}]$	$\pm 3.3$	$\pm 1.4$	$\pm 0.56$	$\pm 0.44$
Total Systematic Uncertainty $[\times 10^{-3}]$	$-17.1, +15.6$	$-5.0, +6.2$	$-1.06, +1.43$	$-0.40, +0.48$
Jet Energy Scale $[\times 10^{-3}]$	$\pm 11.7$	$\pm 3.3$	$\pm 0.74$	$\pm 0.23$
Jet Reconstruction/Identification $[\times 10^{-3}]$	$-7.0, +2.2$	$-2.9, +4.3$	$-0.64, +0.82$	$-0.30, +0.40$
Unsmearing Procedure $[\times 10^{-3}]$	$-3.6, +2.2$	$-1.6, +2.4$	$-0.24, +0.85$	$-0.08, +0.09$
Jet Energy Resolution $[\times 10^{-3}]$	$-2.7, +3.4$	$-0.04, +0.13$	$-0.17, +0.15$	$-0.03, +0.04$
Acceptance $[\times 10^{-3}]$	$\pm 1.8$	$\pm 0.7$	$\pm 0.10$	$\pm 0.003$
Efficiencies (Trigger, EM, Track) $[\times 10^{-3}]$	$\pm 8.5$	$\pm 1.3$	$\pm 0.20$	$\pm 0.07$
Electron-Jet-Overlap $[\times 10^{-3}]$	$\pm 3.2$	$\pm 0.7$	$\pm 0.14$	$\pm 0.05$

procedure. Another source of systematic uncertainty was determined from a closure test estimated by applying the full unsmearing procedure to a MC control sample. The unsmearing correction factors range from 1.11 to 2.9 for the  $Z/\gamma^* + \geq 1$  to  $Z/\gamma^* + \geq 4$  jet multiplicity bins respectively.

The fully corrected ratios,  $R_n$ , of the  $Z/\gamma^* + \geq n$  jet production cross sections to the inclusive  $Z/\gamma^*$  cross section

$$R_n = \frac{\sigma_n}{\sigma_0} = \frac{\sigma[Z/\gamma^*(\rightarrow e^+e^-) + \geq n \text{ jets}]}{\sigma[Z/\gamma^*(\rightarrow e^+e^-)]} \quad (1)$$

for the mass region  $75 \text{ GeV} < M_{ee} < 105 \text{ GeV}$  are summarized in Table I. Systematic uncertainties include contributions from the jet energy scale corrections, jet reconstruction and identification efficiency, jet energy resolution, unsmearing procedure, electron-jet overlap correction, and variations in the acceptance coming from samples with different event generators. They also take into account uncertainties in the variation of efficiencies for trigger, electron reconstruction, identification, and track matching as a function of jet multiplicity. All these uncertainties are assumed to be uncorrelated and they are added in quadrature to estimate the total systematic uncertainty. The statistical uncertainties include contributions from the number of candidate events, background estimation, acceptance, efficiencies, and unsmearing correction.

Figure 1 shows the fully corrected measured cross section ratios for  $Z/\gamma^* + \geq n$  jets as a function of jet multiplicity, compared to three QCD predictions. MCFM [10] is a NLO calculation for up to  $Z + 2$  parton processes. The CTEQ6M [11] parton distribution function (PDF) set was used, and the factorization and renormalization scales were set to  $\mu_{F/R}^2 = M_Z^2 + p_{TZ}^2$ . The ME-PS predictions have been normalized to the measured  $Z/\gamma^* + \geq 1$  jet cross section ratio. The CTEQ6L PDF set was used, and the factorization scale was set to  $\mu_F^2 = M_Z^2$ . The renormalization scale was set to  $\mu_R^2 = p_{Tjet}^2$  for jets from initial state radiation and  $\mu_R^2 = k_{Tjet}^2$  for jets from final state radiation ( $k_{Tjet}$  is the transverse momentum of




FIG. 1: Ratios of the  $Z/\gamma^*(\rightarrow e^+e^-) + \geq n$  jet cross sections to the total inclusive  $Z/\gamma^* \rightarrow e^+e^-$  cross section versus jet multiplicity. The errors on the data points (dark circles) include the combined statistical and systematic uncertainties added in quadrature. The dashed line represents the predictions of LO Matrix Element (ME) calculations using PYTHIA for parton showering (PS) and hadronization, normalized to the measured  $Z/\gamma^* + \geq 1$  jet cross section ratio. The dotted line represents the predictions of PYTHIA normalized to the measured  $Z/\gamma^* + \geq 1$  jet cross section ratio. The open diamonds represent the MCFM predictions.

a radiative jet relative to its parent parton momentum direction). The PYTHIA predictions have been normalized to the measured  $Z/\gamma^* + \geq 1$  jet cross section ratio. The CTEQ5L [12] PDF set was used, and the factorization and renormalization scales were set to  $\mu_{F/R}^2 = M_Z^2$ . The MCFM and ME-PS predictions are generally in good agreement with the data, whereas PYTHIA predicts fewer events with high jet multiplicity.

Figure 2 compares jet  $p_T$  spectra of the  $n^{th}$  jet,  $n = 1, 2, 3$ , in  $Z/\gamma^* + \geq n$  jet events to ME-PS MC predictions. The MC events have been passed through the full detector simulation. The MC jet  $p_T$  spectra have been normalized to the data distributions. Good agreement can be seen over a wide range of jet transverse momenta.




FIG. 2: Data to theory (ME-PS) comparison for the highest  $p_T$  jet distribution in the  $Z/\gamma^* + \geq 1$  jet sample (dark circles) for the second highest  $p_T$  jet distribution in the  $Z/\gamma^* + \geq 2$  jet sample (open circles) and for the third highest  $p_T$  jet distribution in the  $Z/\gamma^* + \geq 3$  jet sample (open triangles). The errors on the data are only statistical. The MC distributions are normalized to the data distributions.

In summary, we have presented the first measurements of the ratios of the  $Z/\gamma^*(\rightarrow e^+e^-) + \geq n$  jet ( $n = 1 - 4$ ) production cross section to the total inclusive  $Z/\gamma^* \rightarrow e^+e^-$  cross section from  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV. The ratios of the measured cross sections were found to be in good agreement with MCFM and an enhanced leading-order matrix element prediction with PYTHIA-simulated parton showering and hadronization. PYTHIA simulations alone exhibit a deficit of high jet multiplicity events.

We thank S. Mrenna for providing the ME-PS event simulation sample. We thank the staffs at Fermilab and collaborating institutions, and acknowledge support from the DOE and NSF (USA); CEA and CNRS/IN2P3 (France); FASI, Rosatom and RFBR (Russia); CAPES, CNPq, FAPERJ, FAPESP and FUNDUNESP (Brazil); DAE and DST (India); Colciencias (Colombia); CONA-

CyT (Mexico); KRF and KOSEF (Korea); CONICET and UBACyT (Argentina); FOM (The Netherlands); PPARC (United Kingdom); MSMT (Czech Republic); CRC Program, CFI, NSERC and WestGrid Project (Canada); BMBF and DFG (Germany); SFI (Ireland); The Swedish Research Council (Sweden); Research Corporation; Alexander von Humboldt Foundation; and the Marie Curie Program.

[\*] On leave from IEP SAS Kosice, Slovakia.

[†] Visitor from Helsinki Institute of Physics, Helsinki, Finland.

[‡] Visitor from Lewis University, Romeoville, IL, USA

- [1] F. Abe *et al.* (CDF Collaboration), Phys. Rev. Lett. **77**, 448 (1996).
- [2] V. Abazov *et al.* (DØ Collaboration), accepted to Nucl. Instrum. Methods Phys. Res. A.
- [3] M. Buehler, Ph.D. Dissertation, University of Illinois at Chicago, Fermilab-Thesis-2005-42 (2005).
- [4] G.C. Blazey *et al.*, in Proceedings of the Workshop: “QCD and Weak Boson Physics in Run II,” edited by U. Baur, R.K. Ellis, and D. Zeppenfeld, p. 47, Fermilab-Pub-00/297 (2000).
- [5] T. Sjöstrand, Computer Physics Commun. **135**, 238 (2001).
- [6] R. Brun and F. Carminati, CERN Program Library Long Writeup W5013, 1993 (unpublished).
- [7] F. Maltoni and T. Stelzer, J. High Energy Phys. **0302**, 027 (2003).
- [8] S. Catani, F. Krauss, R. Kuhn and B. R. Webber, J. High Energy Phys. **0111**, 063 (2001) [arXiv:hep-ph/0109231]. F. Krauss, J. High Energy Phys. **0208**, 015 (2002) [arXiv:hep-ph/0205283].
- [9] S. Mrenna and P. Richardson, J. High Energy Phys. **0405**, 040 (2004) [arXiv:hep-ph/0312274].
- [10] J. Campbell and R.K. Ellis, Phys. Rev. D **65**, 113007 (2002).
- [11] J. Pumplin *et al.*, J. High Energy Phys. **0207**, 12 (2002).
- [12] H.L. Lai *et al.*, Eur. Phys. J. **C12**, 375 (2000).